

BraindumpQuiz



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.braindumpquiz.com/>

Best exam materials provider - BraindumpQuiz! Choosing us, Benefit more!

Exam : 510-306

Title : Powerbuilder 8.0 Developer assciate

Vendors : Sybase

Version : DEMO

NO.1 In a DataWindow control, if the user clicks on a row other than the current row, which event should be used to determine both the current row and the new row?

- A. RowChanged
- B. ItemChanged
- C. RowFocusChanged
- D. ItemFocusChanged
- E. RowFocusChanging

Answer: E

NO.2 Two object-level functions with the same name but with argument lists that vary in number or in datatype are said to be _____.

- A. extended
- B. overlaid
- C. overridden
- D. overloaded

Answer: D

NO.3 The Throws clause of a method signature should include:

- A. A list of the checked exceptions that are caught by the method.
- B. A list of the checked exceptions that may be thrown by the method.
- C. A list of the checked exceptions that are either caught or thrown by the method.
- D. A list of all exceptions that are either caught or thrown by the method, regardless of their type.

Answer: B

NO.4 Using listbox lb_1 to show the order in which events are executed for a datawindow control, the

following line of code is added to each event of the datawindow

```
control:lb_1.AddItem(<event_name>) //
```

where event_name is the name of the event For example, the constructor event starts with:

lb_1.AddItem(constructor) Which of the following properties should also be set for the listbox control

lb_1?

- A. Sorted = False
- B. BringToTop = False
- C. VScrollBar = True

D. Enabled = True

Answer: A

NO.5 Which of following will center a main window, w_sheet, opened as a sheet within a MDI frame, w_mdi?

A. At design time, select the center property checkbox of w_sheet.

B. In the open event of w_sheet, set this.center = TRUE.

C. In the open event of w_sheet, set w_mdi.center = TRUE.

D. Sheets cannot be centered within an MDI frame.

Answer: B

NO.6 If multiple sheets are open in an MDI Frame and the user selects a different open sheet, what Window event would the developer code to re-initialize any instance variables on the sheet before allowing user access?

A. Show

B. Key

C. Activate

D. Open

Answer: C

NO.7 Select three examples of script that correctly enable sharing of data among three DataWindows: the primary DataWindow that contains the data (dw_primary), and two secondary DataWindows that will

display the same data (dw_secondary1 and dw_secondary2).

A. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_primary.ShareData(dw_secondary1)

dw_primary.ShareData(dw_secondary2)

B. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_secondary1.ShareData(dw_secondary2) dw_primary.Retrieve()

C. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_primary.ShareData(dw_secondary2) dw_primary.Retrieve()

D. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_secondary1.ShareData(dw_primary)

dw_secondary2.ShareData(dw_primary)

Answer: ABC

NO.8 Which of the following Targets are considered Web Targets?

- A. EAServer Component
- B. Dynamo WebSite
- C. WebSite
- D. Migrate PowerSite 7.1 Project(s)

Answer: BCD

NO.9 You write a script that uses dot notation to manipulate a DataWindow column property. What is the

behavior when the property name is misspelled? (For example:

`dw_1.Object.emp_name.Visibl = "0"`)

- A. The script will not compile.
- B. The script will compile, but the code in the DBError event will execute at run time.
- C. The script will compile, but the code in the Error event for dw_1 will execute at run time.
- D. The script will compile, but the code in the ItemError event for dw_1 will execute at run time.

Answer: C

NO.10 If you code the following (given emp_id is a valid integer column name) what will happen? integer li_i

`li_i=dw_1.object.emp_id.selected`

- A. This code will not compile.
- B. li_i will contain the number of rows selected.
- C. li_i will contain an array of the selected emp_id's.
- D. This code will successfully compile, but will return an error at run time.

Answer: D

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.11 Which of the following display an objects inheritance hierarchy? (choose two)

- A. Browser
- B. Library Painter
- C. System Tree
- D. Script View
- E. Debugger

Answer: AD

NO.12 Examine the following code: long ll_retval ll_retval = 7 CloseWithReturn(this, ll_retval)

Where is the return value after the CloseWithReturn is executed?

- A. Message.WordParm
- B. Message.DoubleParm
- C. Message.StringParm
- D. Message.PowerObjectParm

Answer: B

NO.13 Which is NOT a built-in global variable of an application?

- A. SQLCA
- B. Error
- C. Transaction D. Message

Answer: C

NO.14 Which painter is used to associate a datawindow object with a datawindow control at design time?

- A. application painter
- B. datawindow painter
- C. library painter
- D. database painter
- E. window painter

Answer: E

NO.15 Which project is indicated for building a client application to access an EAServer component?

- A. Application Wizard
- B. Connection Object Wizard
- C. EAServer Component Wizard
- D. EAServer Proxy Wizard

Answer: D

NO.16 Which of the following presentation styles are NOT supported by the WEB DataWindows?

- A. Composite
- B. Crosstab
- C. Freeform

D. Graph

E. Group

F. N-Up

Answer: AD

NO.17 What function is called to dynamically add a tab control to a window?

A. Show()

B. OpenTab()

C. OpenSheet()

D. InsertObject()

E. OpenUserObject()

Answer: E

NO.18 What type of data source can be used with a DataWindow but not with a Pipeline?

A. query

B. SQL select statement

C. external

D. stored procedure

Answer: C

NO.19 The Timer event of a window can be initialized with which function?

A. Start()

B. Idle()

C. Sleep()

D. Timer()

Answer: D

NO.20 For which two controls does GetItemAtPointer() return a reference to the item under the cursor?

A. ListBox

B. ListView

C. TreeView

D. DropDownListBox

Answer: BC